



TELANGANA STATE POLLUTION CONTROL BOARD
Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040-23815631

Order No. TSPCB /BMWA /HYD -65 /2016 -159

Date: 10.04.2017

RENEWAL OF AUTHORISATION

(Issued under Rule 10 of the Bio-Medical Waste Management Rules, 2016)

Whereas in pursuance of the application of **M/s. Hyderabad Eye Institute, Road No. 2, Banjara Hills, Hyderabad** seeking authorization under Bio Medical Waste Management Rules, 2016, the R.O., Hyderabad inspected the premises on 05.10.2016 and after careful scrutiny of application and verification report of the inspecting Officer, this renewal of authorization for generation, segregation and safe-disposal of Bio-Medical Waste is issued to **M/s. Hyderabad Eye Institute, Road No. 2, Banjara Hills, Hyderabad** subject to the terms and conditions mentioned in the Schedule - A & Schedule - B attached to this authorization.

This renewal of authorization is valid upto **30.09.2019** for **85** beds.

Hyderabad,
Dated: 10.04.2017

Sd/-
MEMBER SECRETARY &
PRESCRIBED AUTHORITY

To ✓
M/s. Hyderabad Eye Institute,
Road No. 2, Banjara Hills,
Hyderabad.

N.B:

This authorization shall be exhibited in the above premises and should be produced from time to time at the request of the Inspecting Officer.

// T.C.F.B.O //


Senior Environmental Engineer
(Unit - III)

0
10
20
30
40
50
60
70
80
90
100

TERMS AND CONDITIONS OF AUTHORISATION

SCHEDULE - A

1. The authorised person shall comply with the rules of Bio-Medical Waste Management Rules, 2016.
2. The authorised person should handle the waste without any adverse effects to human health and the Environment.
3. The Bio-Medical Waste shall not be mixed with other wastes.
4. Notwithstanding anything contained in the Motor Vehicles Act, 1988, or Rules there under, untreated Bio-Medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the Competent Authority as specified by the Government.
5. The person authorised under these Rules shall not lease, sell, transfer or otherwise transport the Bio-Medical Wastes without obtaining prior permission of the Member Secretary, Telangana State Pollution Control Board.
6. An application for the renewal of authorisation shall be made as laid down in Rule 10 and Form II of the Rules.
7. Every occupier/operator shall submit an annual report to the Member Secretary, Telangana State Pollution Control Board in Form - IV by 30th June every year, containing information about the categories and quantities of Bio-Medical Wastes handled during the preceding year.
8. Every HCE shall maintain a daily record of waste generation quantity either in volume or by weight in kg/day as follows:
 - a. Human anatomical waste etc. (Yellow Bag)
 - b. Infectious waste (Red Bag)
 - c. Sharps etc. (White Translucent Bags)
 - d. Glass ware (cardboard boxes with blue colour marking)
 - e. Metallic body implants (Cardboard boxes with blue colour marking)
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and / or any form of handling of Bio-Medical Waste in accordance with these Rules and any guidelines issued.
10. All records shall be subject to inspection and verification by the Member Secretary, Telangana Pollution Control Board, or authorised officer of T.S. Pollution Control Board at any time.
11. The Applicant shall exhibit the Authorisation of the Board in the premises at a prominent place for the information of inspecting officer of different departments.
12. The applicants shall inform the Prescribed Authority, the name and designation of the concerned person in-charge of Bio-Medical Waste Management in the Health Care Establishment. This person shall be held responsible for the implementation of the Bio-medical Waste Management Rules, 2016.

SCHEDULE - B (Standards)

1. Segregation of the waste shall be carried out at source in accordance with Schedule-I of the Bio-Medical Waste Management Rules, 2016.
2. All syringes and needles should be mutilated before discarding.
3. Mutilation / shredding must be such so as to prevent unauthorised reuse.
4. Chemical treatment shall be carried out using at least 10% Sodium Hypochlorite having 30% residual chlorine for twenty minutes or any other equivalent chemical reagent that should demonstrate Log_{10}^4 reduction efficiency for microorganisms as given in Schedule- III. It must be ensured that chemical treatment ensures disinfection.
5. No untreated Bio-Medical Waste such as untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall be kept stored beyond a period of 48 hours.

7. The Mercury spillage / losses due to breakage of thermometers, pressure and other measuring equipment in Health Care Establishments shall be collected stored and shall be disposed in accordance with the respective rules and regulations.
8. The occupier of HCE shall take all necessary measures to ensure that the spilled mercury does not become part of bio-medical or other solid waste generated from the HCE.
9. The Bio Medical Waste shall be disposed for treatment after disinfection and segregation to one of the following Common Bio-Medical Waste Treatment Facility:

M/s. GJ Multiclave (India) Pvt., Or M/s. Medicare Environmental Management Ltd., Sy.No. 179 & 181, Eadulapally (V), Kothur (M), Mahaboobnagar district.	Pvt., Ltd., Sy.No.619, Isnapur (V), Patancheru (M), Medak district.
M/s. ASE & Co, Sy.No. 63/1, Maddur (V), Narasapur(M), Medak district	Or M/s. Sattva Global Services Pvt Ltd., Plot No. 36/B, Biotech Park, Phase-III, Karakapatla (V), Mulugu (M), Medak Dist.
10. No Health Care Establishment shall establish on-site treatment and disposal facility or operate an incinerator without specific authorisation of the Prescribed Authority.
11. Under no circumstances shall incinerable waste (categories 1,2, 6) of the Schedule I of the Rules of 2016 of any kind be openly burnt anywhere.
12. The effluents generated from the Health Care Establishment shall conform to the standards for liquid waste as prescribed in schedule-II of Bio-Medical Waste Management Rules, 2016.
13. The applicant shall make an application for renewal of authorisation under Bio-Medical Waste Management Rules, 2016 at least 60 days before the date of expiry of this order, along with prescribed fee.
14. The applicant shall obtain Consents for Operation (CFO) from TSPCB, as required Under Sec.25/26 of the Water (P&C of P) Act, 1974 and under sec. 21/22 of the Air (P&C of P) Act, 1981.
15. The HCE should provide adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, water sprinklers etc) at salient places within the HCEs even at Bio Medical Waste storage area, in accordance with fire safety regulations and the HCE should obtain certificate from fire department.
16. The HCE shall follow all the conditions stipulated by Central Pollution Control Board (CPCB), wherever Sharp Blaster (needle blaster) is provided for treatment of Bio Medical Waste (BMW) category no.4 (i.e., waste sharps), listed under schedule-I of Bio Medical Waste Management Rules, 2016.
17. This order is issued without any prejudice to the case in W.P. No. 19727 of 2016 & 19821 of 2016 pending before the Hon'ble High Court, Hyderabad.

ANY CONTRAVENTION OF THE CONDITIONS OR DIRECTIONS OF AUTHORISATION WILL ATTRACT PROSECUTION UNDER THE PROVISIONS OF THE ENVIRONMENT (PROTECTION) ACT, 1986

Sd/-
**MEMBER SECRETARY &
PRESCRIBED AUTHORITY**

To
**M/s. Hyderabad Eye Institute,
Road No. 2, Banjara Hills,
Hyderabad.**

// T.C.F.B.O //

A 